



2014 DDH DRILL RESULTS

DDH #	Elev.		Depth		LENGTH			Ag	Ag	Au	Cu	Pb	Zn	Comments
	(m)	Azimuth	Inclin.	(m)	FROM	TO	(m)	(compiled)	ppm	oz/t	(compiled)	g/t	(%)	
PT14-104	2630	0	-90	538										Gravity Anomaly -Teststructure at depth
PT14-105	2630	259	-70	269	244.46	244.81	0.35	2.1	0.06	0.45	0.00	0.00	0.00	Gravity Anomaly -Teststructure at depth
PT14-106	2658	300	-51	167	34.56	34.80	0.24	24.8	0.72	0.50	0.00	0.05	0.00	Upper Mineralization
					82.52	82.75	0.23	212.0	6.18	0.24	0.12	0.08	0.00	Massive Sulphide south of Level 1
					158.20	158.47	0.27	8.1		0.8	0.01	0.02	0.01	Deeper Interval
PT14-107	2658	299	-49	176	91.22	96.51	5.29	253.5	7.39	0.47	0.14	0.09	0.01	Massive Sulphide south of Level 1
					92.49	93.74	1.25	867.6	25.31	0.65	0.46	0.23	0.04	
					94.97	96.51	1.54	108.2	3.16	0.73	0.06	0.08	0.00	
					91.22	91.98	0.76	22.2	0.65	0.08	0.01	0.02	0.00	
					91.98	92.49	0.51	108.0	3.15	0.05	0.07	0.01	0.01	
					92.49	92.69	0.20	2,790.0	81.38	1.19	1.52	0.51	0.14	
					92.69	93.19	0.50	1,000.0	29.17	0.92	0.51	0.30	0.04	
					93.19	93.74	0.55	48.2	1.41	0.22	0.03	0.06	0.00	
					93.74	94.40	0.66	14.8	0.43	0.39	0.01	0.02	0.00	
					94.40	94.97	0.57	14.6	0.43	0.35	0.00	0.03	0.00	
					94.97	95.69	0.72	148.0	4.32	0.82	0.09	0.13	0.01	
					95.69	96.22	0.53	63.1	1.84	0.73	0.03	0.06	0.00	
					96.22	96.51	0.29	92.0	2.68	0.52	0.05	0.03	0.00	
PT14-108	2658	297	-52	161	59.84	59.90	0.06	249.0	7.26	1.18	0.12	0.12	0.02	Upper Mineralization
					90.19	95.60	5.41	526.8	15.40	0.64	0.25	0.16	0.02	Massive Sulphide south of Level 1
					90.19	91.35	1.16	2,315.5	67.50	1.64	1.10	0.51	0.08	
					93.76	94.67	0.91	48.0	1.40	0.91	0.03	0.03	0.00	
					90.19	90.75	0.56	3,125.0	91.15	2.02	1.52	0.22	0.11	
					90.75	91.35	0.60	1,560.0	45.50	1.28	0.71	0.79	0.06	
					91.35	91.90	0.55	50.6	1.48	0.26	0.02	0.09	0.01	
					91.90	92.45	0.55	40.0	1.17	0.21	0.01	0.11	0.00	
					92.45	93.07	0.62	41.0	1.20	0.25	0.02	0.11	0.00	
					93.07	93.76	0.69	19.9	0.58	0.18	0.01	0.05	0.00	
					93.76	94.12	0.36	44.0	1.28	0.54	0.01	0.04	0.00	
					94.12	94.67	0.55	50.8	1.48	1.15	0.03	0.03	0.00	
					94.67	95.21	0.54	27.1	0.79	0.21	0.02	0.03	0.00	
95.21	95.60	0.39	42.3	1.23	0.29	0.03	0.03	0.00						
PT14-109	2658	297	-56	167	80.54	80.86	0.32	383.0	11.17	0.37	0.22	0.07	0.03	Massive Sulphide south of Level 1
PT14-110	2658	295	-60	68										Intersected Level 1 workings
PT14-111	2658	292	-62	161	65.38	65.43	0.05	882.0	25.73	0.23	0.38	0.35	0.05	Upper Mineralization

<b>PT14-112</b>	2658	282	-58	201.5	85.80	90.37	4.57	<b>517.0</b>	15.10	0.70	0.27	0.14	0.03	Massive Sulphide south of Level 1
					88.20	89.55	1.35	<b>1,129.0</b>	32.90	0.92	0.59	0.06	0.06	
					85.80	86.20	0.40	30.9	0.90	0.34	0.01	0.02	0.00	
					86.20	86.49	0.29	<b>1,590.0</b>	46.38	1.84	0.79	0.26	0.07	
					86.49	87.05	0.56	<b>483.0</b>	14.09	1.33	0.25	0.59	0.02	
					87.05	87.56	0.51	46.3	1.35	0.32	0.02	0.13	0.00	
					87.56	88.20	0.64	19.3	0.56	0.30	0.01	0.06	0.00	
					88.20	88.51	0.31	39.6	1.16	0.52	0.02	0.03	0.00	
					88.51	89.00	0.49	67.2	1.96	0.70	0.03	0.04	0.00	
					89.00	89.55	0.55	<b>2,690.0</b>	78.46	1.34	<b>1.41</b>	0.09	0.16	
					89.55	89.89	0.34	149.0	4.35	0.49	0.08	0.06	0.01	
					89.89	90.37	0.48	15.8	0.46	0.07	0.01	0.01	0.00	
					146.67	147.07	0.40	<b>1,810.0</b>	52.79	<b>2.35</b>	<b>1.26</b>	0.00	0.04	Deeper Interval
					148.61	149.95	1.34	<b>1,207.6</b>	35.20	<b>3.69</b>	0.72	0.01	0.04	Deeper Interval
					148.61	149.30	0.69	41.0	1.20	0.23	0.03	0.01	0.00	
					149.30	149.59	0.29	<b>5,426.0</b>	158.26	<b>16.26</b>	<b>3.21</b>	0.01	0.19	
					149.59	149.95	0.36	45.3	1.32	0.20	0.03	0.00	0.00	
<b>PT14-113</b>	2658	272	-59	152	34.50	34.62	0.12	62.1	1.81	0.05	0.05	0.03	0.00	Upper Mineralization
					52.48	53.92	1.44	169.0	4.94	0.51	0.07	0.06	0.01	Upper Mineralization
					52.48	52.80	0.32	155.0	4.52	0.18	0.07	0.18	0.01	
					52.80	53.20	0.40	<b>406.0</b>	11.84	0.60	0.16	0.04	0.01	
					53.20	53.59	0.39	28.2	0.82	0.05	0.01	0.01	0.00	
					53.59	53.92	0.33	63.2	1.84	1.25	0.03	0.04	0.01	
					83.40	88.75	5.35	313.9	9.16	0.58	0.16	0.08	0.02	Massive Sulphide south of Level 1
					86.49	87.65	1.16	<b>1,327.9</b>	38.70	1.29	0.67	0.21	0.06	
					83.40	84.08	0.68	63.7	1.86	0.53	0.03	0.03	0.00	
					84.08	84.46	0.38	31.4	0.92	0.82	0.01	0.06	0.00	
					84.46	85.03	0.57	15.1	0.44	0.28	0.00	0.06	0.02	
					85.03	85.43	0.40	11.9	0.35	0.42	0.00	0.06	0.01	
					85.43	86.00	0.57	16.0	0.47	0.34	0.00	0.05	0.00	
					86.00	86.49	0.49	21.4	0.62	0.37	0.01	0.04	0.00	
					86.49	86.92	0.43	102.0	2.98	1.35	0.04	0.20	0.00	
					86.92	87.65	0.73	<b>2,050.0</b>	59.79	1.25	<b>1.04</b>	0.22	0.09	
					87.65	88.14	0.49	64.9	1.89	0.28	0.03	0.04	0.00	
					88.14	88.75	0.61	31.6	0.92	0.14	0.01	0.02	0.00	
					143.16	143.77	0.61	59.0	1.72	0.66	0.03	0.08	0.02	Deeper Interval
<b>PT14-114</b>	2658	250	-62	98	84.00	85.82	1.82	30.7	0.89	0.58	0.02	0.09	0.00	Massive Sulphide south of Level 1
					84.54	85.42	0.88	29.0	0.85	0.75	0.02	0.09	0.00	
					84.00	84.54	0.54	30.1	0.88	0.49	0.02	0.09	0.00	
					84.54	84.84	0.30	16.9	0.49	0.56	0.01	0.08	0.00	
					84.84	85.42	0.58	35.3	1.03	0.85	0.03	0.10	0.00	
					85.42	85.82	0.40	35.1	1.02	0.33	0.01	0.08	0.00	
<b>PT14-115</b>	2658	250	-58	113										No significant Results
<b>PT14-116</b>	2658	255	-66	110	59.46	59.67	0.21	<b>5,261.0</b>	153.45	<b>2.18</b>	<b>1.99</b>	0.66	0.11	Upper Mineralization
					59.67	60.14	0.47	165.0	4.81	0.08	0.07	0.03	0.01	

<b>PT14-117</b>	2658	243	-60	95	84.07	86.00	1.93	36.8	1.07	0.69	0.02	0.06	0.00	Massive Sulphide south of Level 1
					84.07	84.81	0.74	17.0	0.50	0.71	0.00	0.05	0.00	
					84.81	85.24	0.43	22.8	0.67	0.47	0.01	0.07	0.00	
					85.24	86.00	0.76	63.9	1.86	0.79	0.03	0.06	0.01	
					86.00	86.44	0.44	12.7	0.37	0.03	0.01	0.00	0.00	
					86.44	87.04	0.60	1.8	0.05	0.05	0.00	0.00	0.00	
<b>PT14-118</b>	2658	233	-60	101	51.81	52.12	0.31	<b>1,701.0</b>	49.61	1.50	0.69	0.26	0.08	Upper Mineralization
					82.45	88.40	5.95	<b>1,509.0</b>	44.00	0.63	0.56	0.09	0.04	Massive Sulphide south of Level 1
					83.80	87.45	3.65	<b>2,455.0</b>	71.60	1.00	0.91	0.14	0.06	
					84.27	86.48	2.21	<b>4,010.0</b>	117.00	<b>1.48</b>	<b>1.48</b>	0.21	0.10	
					82.45	82.94	0.49	10.0	0.29	0.02	0.00	0.02	0.00	
					82.94	83.45	0.51	9.4	0.27	0.02	0.00	0.01	0.00	
					83.45	83.80	0.35	7.2	0.21	0.07	0.00	0.01	0.00	
					83.80	84.27	0.47	42.5	1.24	0.33	0.01	0.03	0.00	
					84.27	84.60	0.33	<b>22,945.0</b>	669.23	<b>5.75</b>	<b>8.24</b>	0.81	0.57	
					84.60	85.14	0.54	<b>594.0</b>	17.33	1.10	0.28	0.14	0.02	
					85.14	85.76	0.62	<b>1,495.0</b>	43.60	0.47	0.61	0.14	0.05	
					85.76	86.48	0.72	60.8	1.77	0.69	0.03	0.06	0.00	
					86.48	87.16	0.68	7.6	0.22	0.10	0.00	0.00	0.00	
					87.16	87.45	0.29	250.0	7.29	0.56	0.15	0.10	0.02	
					87.45	88.40	0.95	5.9	0.17	0.03	0.00	0.00	0.00	
<b>PT14-119</b>	2658	216	-59	101	56.52	56.78	0.26	<b>5,243.0</b>	152.92	<b>2.20</b>	<b>1.88</b>	0.07	0.13	Upper Mineralization
<b>PT14-120</b>	2658	216	-52	139	46.17	46.40	0.23	<b>1,425.0</b>	41.56	1.75	0.47	0.68	0.05	Upper Mineralization
<b>PT14-121</b>	2658	201	-52	110										No significant Results
<b>PT14-122</b>	2664	270	-61	110	57.82	58.00	0.18	<b>407.0</b>	11.87	0.19	0.13	1.37	0.03	Upper Mineralization
<b>PT14-123</b>	2664	267	-66	104										No significant Results
<b>PT14-124</b>	2664	260	-62	109.4										No significant Results
<b>PT14-125</b>	2664	247	-62	131	93.80	93.94	0.14	3.4	0.10	0.49	0.00	0.03	0.00	Massive Sulphide south of Level 1
<b>PT14-126</b>	2664	249	-58	106										No significant Results
<b>PT14-127</b>	2658	286	-52	101	56.04	56.15	0.11	<b>428.0</b>	12.48	1.45	0.17	0.07	0.02	Upper Mineralization
<b>PT14-128</b>	2658	273	-55	98	84.50	85.27	0.77	3.2	0.09	<b>37.30</b>	0.00	0.00	0.00	Massive Sulphide south of Level 1
					86.06	91.32	5.26	207.0	6.04	0.82	0.10	0.09	0.01	Massive Sulphide south of Level 1
					86.06	90.02	3.96	<b>269.0</b>	7.85	1.04	0.14	0.11	0.01	
					86.06	86.87	0.81	<b>422.0</b>	12.31	0.72	0.22	0.06	0.02	
					86.87	87.47	0.60	66.5	1.94	0.99	0.03	0.05	0.00	
					87.47	87.86	0.39	<b>427.0</b>	12.45	1.75	0.17	0.19	0.02	
					87.86	88.60	0.74	<b>443.0</b>	12.92	1.25	0.24	0.10	0.03	
					88.60	89.42	0.82	137.0	4.00	1.25	0.08	0.13	0.01	
					89.42	90.02	0.60	128.0	3.73	0.55	0.05	0.15	0.00	
					90.02	90.45	0.43	39.8	1.16	0.32	0.01	0.07	0.00	
					90.45	91.32	0.87	7.9	0.23	0.08	0.00	0.01	0.00	